

OB COMPLETE® PETITE PRESCRIBING INFORMATION

Supplement Facts

Serving Size: 1 Softgel Capsule
Servings Per Container: 30

	Amount per Serving	% DV for Pregnant and Lactating Women
Calories	5	
Cholesterol	Less than 5 mg	
Vitamin C (as Calcium Ascorbate)	75 mg	125%
Vitamin D (as Cholecalciferol)	1000 IU	250%
Vitamin E (as d-Alpha Tocopherol Acetate)	30 IU	100%
Thiamin (as Thiamine Mononitrate)	2 mg	118%
Riboflavin	3.4 mg	170%
Vitamin B6 (as Pyridoxine HCl)	30 mg	1200%
Folate (Folic Acid)	1 mg	125%
Vitamin B12 (as Cyanocobalamin)	15 mcg	188%
Iron (as Ferronyl® Carbonyl Iron 35 mg and Sumalate®* Ferrous Asparto Glycinate 5 mg)	40 mg	222%
Zinc (as Zinc Oxide)	25 mg	167%
Copper (as Cupric Sulfate)	1 mg	50%

Omega-3 Fatty Acids	243 mg	†
DHA (Docosahexaenoic Acid)	200 mg	†
EPA (Eicosapentaenoic Acid)	14 mg	†
Other/Additional Omega-3 Fatty Acids	29 mg	†

† Daily Value (DV) not established

Other Ingredients: Soybean Oil, Yellow Bees Wax, Lecithin, Gelatin, Purified Water, Titanium Dioxide, FD&C Red #40, Ethyl Vanillin, FD&C Blue #1.

CONTAINS: SOY AND FISH OIL (ANCHOVY)

GLUCOSE, LACTOSE AND SUGAR FREE

OB Complete® Petite is a prescription multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

CONTRAINDICATIONS

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNINGS

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B₁₂ is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

DRUG INTERACTIONS

OB Complete® Petite softgel capsules are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine.

ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

DESCRIPTION

OB Complete® Petite is an oval-shaped plum colored softgel capsule, imprinted "VP 059".

DIRECTIONS FOR USE

One softgel capsule daily or as directed by a physician.

HOW SUPPLIED

OB Complete® Petite is supplied in a 30 count child-resistant bottle.

Product Code: 68025-059-30

STORAGE: Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

KEEP OUT OF REACH OF CHILDREN.

PATENTED FORMULA. U.S. PAT. No. 8,263,137

*Sumalate® (Ferrous Asparto Glycinate) is a registered trademark of Albion International, Inc. and is covered by the following patents:

U.S. Pat. No. 6,716,814, U.S. Pat. No. 8,007,846 and U.S. Pat. No. 8,425,956.

For use on the order of a healthcare practitioner

Call your doctor about side effects. To report side effects, call Vertical Pharmaceuticals at: 1-877-95-VERTI (1-877-958-3784) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Customer Service: 1-866-600-4799

Rev. 04/17

**Distributed by:
VERTICAL PHARMACEUTICALS, LLC
Bridgewater, NJ 08807**



OB COMPLETE® ONE PRESCRIBING INFORMATION

Supplement Facts

Serving Size: 1 Softgel Capsule
Servings Per Container: 30

	Amount per Serving	% DV for Pregnant and Lactating Women
Vitamin C (as Calcium Ascorbate)	70 mg	117%
Vitamin D (as Cholecalciferol)	1,200 IU	300%
Vitamin E (as d-Alpha Tocopherol)	30 IU	100%
Thiamin (as Thiamine Mononitrate)	2 mg	118%
Riboflavin	4 mg	200%
Niacin (as Niacinamide)	10 mg	50%
Vitamin B6 (as Pyridoxine HCl)	30 mg	1200%
Folate (Folic Acid)	1 mg	125%
Vitamin B12 (as Cyanocobalamin)	50 mcg	625%
Biotin	200 mcg	67%
Calcium (as Calcium Carbonate, Dima-Cal Di-Calcium Malate*, and Calcium Threonate)	55 mg	2%
Iron (as Ferronyl® Carbonyl Iron 40 mg and Sumalate®** Ferrous Asparto Glycinate 10 mg)	50 mg	278%
Iodine (as Potassium Iodide)	150 mcg	100%
Magnesium (as Magnesium Oxide)	25 mg	6%
Zinc (as Zinc Oxide)	15 mg	100%
Copper (as Cupric Sulfate)	1 mg	50%
Purified Fish Oil	476 mg	†
DHA (Docosahexaenoic Acid)	300 mg	†
EPA (Eicosapentaenoic Acid)	40 mg	†

† Daily Value (DV) not established

Other Ingredients: Gelatin, Glycerin, Yellow Bees Wax, Purified Water, Lecithin, Soybean Oil, Natural Cream Orange Flavor, Titanium Dioxide, Ethyl Vanillin, FD&C Red #40, FD&C Blue #1.

CONTAINS: SOY AND FISH

GLUTEN-, LACTOSE- AND SUGAR-FREE

OB Complete® One is a prescription multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

CONTRAINDICATIONS

OB Complete® One should not be used by patients with a known hypersensitivity to any of the listed ingredients.

WARNINGS

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

DRUG INTERACTIONS

OB Complete® One softgels are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine.

ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

DESCRIPTION

OB Complete® One is an oblong-shaped purple softgel, imprinted "VP044".

DIRECTIONS FOR USE

One softgel daily or as directed by a physician.

HOW SUPPLIED

OB Complete® One is supplied in a carton of 30 capsules, packaged in 3 child resistant unit-dose blister cards of 10 softgels per card.

Product Code: 68025-044-30

STORAGE

Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.

*DimaCal is a registered trademark of Albion International, Inc. Malates covered by U.S. Patent No. 6,706,904. Chelate covered by U.S. Patent No. 7,838,042 and patents pending.

**Sumalate® (Ferrous Asparto Glycinate) is a registered trademark of Albion International, Inc. and is covered by the following patents: U.S. Pat. No. 6,716,814; U.S. Pat. No. 8,007,846 and U.S. Pat. No. 8,425,956.

For use on the order of a healthcare practitioner

Call your doctor about side effects. To report side effects, call Vertical Pharmaceuticals at 1-877-95-VERTI (1-877-958-3784) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Customer Service: 1-866-600-4799

Rev. 04/17

Distributed by:
VERTICAL PHARMACEUTICALS, LLC
Bridgewater, NJ 08807



OB COMPLETE® PREMIER PRESCRIBING INFORMATION

Supplement Facts

Serving Size: 1 Tablet
Servings per Box: 30

Amount per Serving	% Daily Value for Pregnant and Lactating Women
Vitamin A (Beta Carotene)	2100 IU26%
Vitamin C (Calcium Ascorbate)	120 mg200%
Calcium (as DimaCal® di-Calcium Malate)* ...	100 mg8%
Vitamin D ₃ (Cholecalciferol)	800 IU200%
Vitamin E (d-Alpha Tocopheryl Succinate)	20 IU67%
Vitamin B ₁ (Thiamine Mononitrate)	2 mg118%
Vitamin B ₂ (Riboflavin)	3.4 mg170%
Vitamin B ₃ (Niacinamide)	10 mg50%
Vitamin B ₆ (Pyridoxine HCl)	10 mg400%
Folate	1 mg125%
Vitamin B ₁₂ (Cyanocobalamin)	15 mcg188%
Ferrouyl® Carbonyl Iron (Elemental Iron)	30 mg167%
Sumalate® (ferrous asparto glycinate)	20 mg111%
Magnesium (as Di-Magnesium Malate)**	15 mg3%
Zinc (as TRAACS® Zinc Glycinate Chelate) ...	10 mg67%
Copper (Copper Glycinate)	1 mg50%

Other Ingredients: Microcrystalline Cellulose, DiCal Phosphate, Croscarmellose Sodium, Pink Color Coating (Hydroxypropylmethyl Cellulose, Polyvinyl Alcohol, Titanium Dioxide, Polyethylene Glycol, Talc and FDC Red #40 Lake), Fumed Silica, Stearic Acid, Magnesium Stearate, Acacia and Povidone K30.

Manufactured for:
VERTICAL PHARMACEUTICALS, LLC
Bridgewater, NJ 08807

VEGETARIAN FRIENDLY

GLUTEN, LACTOSE AND SUGAR-FREE

OB Complete® Premier is a professionally prescribed multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

CONTRAINDICATIONS

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B₁₂ is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Allergic sensitization has been reported following both oral and parenteral administration of folic acid

DRUG INTERACTIONS

OB Complete® Premier tablets are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine.

ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

DESCRIPTION

OB Complete® Premier is a pink tablet, imprinted "VP 043".

DIRECTIONS FOR USE

One tablet daily or as directed by a physician.

HOW SUPPLIED

OB Complete® Premier is available in a carton unit dose pack of 30 tablets (3 child resistant blister cards of 10 tablets per card).

PRODUCT CODE: 68025-043-30

STORAGE: Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

KEEP OUT OF REACH OF CHILDREN

*Sumalate® (ferrous asparto glycinate) is a registered trademark of Albion International, Inc., Clearfield, Utah and is covered by the following patents: U.S. Pat. No. 6,716,814; U.S. Pat. No. 7,838,042; U.S. Pat. No. 8,007,846 and U.S. Pat. No. 8,425,956.

**DimaCal and TRAACS® are registered trademarks of Albion International, Inc. *Malates covered by U.S. Pat. No. 6,706,904.

Rx for Maternal Health

For use on the order of healthcare practitioner

Call your doctor about side effects. You may report side effects by calling: 1-877-95-VERTI (1-877-958-3784).

Customer Service: 1-866-600-4799

Rev. 02/17

