

## OB COMPLETE® PETITE PRESCRIBING INFORMATION

### Supplement Facts

Serving Size: 1 Softgel Capsule  
Servings Per Container: 30

	Amount per Serving	% DV for Pregnant and Lactating Women
Calories	5	
Cholesterol	Less than 5 mg	
Vitamin C (as Calcium Ascorbate)	75 mg	63%
Vitamin D (as Cholecalciferol)	25 mcg (1000 IU)	167%
Vitamin E (as d-Alpha Tocopherol Acetate)	30 IU	143%
Thiamin (as Thiamine Mononitrate)	2 mg	143%
Riboflavin	3.4 mg	213%
Vitamin B6 (as Pyridoxine HCl)	30 mg	1500%
Folate	1667 mcg DFE (1000 mcg Folic Acid)	278%
Vitamin B12 (as Cyanocobalamin)	15 mcg	536%
Iron (as Ferronyl® Carbonyl Iron 35 mg and Sumalate®* Ferrous AspartoGlycinate 5 mg)	40 mg	148%
Zinc (as Zinc Oxide)	25 mg	192%
Copper (as Cupric Sulfate)	1 mg	77%
Omega-3 Fatty Acids	243 mg	†
DHA (Docosahexaenoic Acid)	200 mg	†
EPA (Eicosapentaenoic Acid)	14 mg	†
Other/Additional Omega-3 Fatty Acids	29 mg	†

† Daily Value (DV) not established

**Other Ingredients:** Soybean Oil, Yellow Bees Wax, Lecithin, Gelatin, Purified Water, Titanium Dioxide, FD&C Red #40, Ethyl Vanillin, FD&C Blue #1.

#### CONTAINS: SOY AND FISH OIL (ANCHOVY)

#### GLUCOSE-, LACTOSE-, AND SUGAR-FREE

OB Complete® Petite is a prescription multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

#### CONTRAINDICATIONS

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

#### WARNINGS

**WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.**

#### PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B<sub>12</sub> is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

#### DRUG INTERACTIONS

OB Complete® Petite softgel capsules are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

#### ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

#### DESCRIPTION

OB Complete® Petite is an oval-shaped plum colored softgel capsule, imprinted "VP 059".

#### DIRECTIONS FOR USE

One softgel capsule daily or as directed by a physician.

#### HOW SUPPLIED

OB Complete® Petite is supplied in a 30 count child-resistant bottle.  
**Product Code: 68025-059-30**

**STORAGE:** Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

#### KEEP OUT OF REACH OF CHILDREN.

#### PATENTED FORMULA. U.S. PAT. No. 8,263,137

\*Sumalate® (Ferrous AspartoGlycinate) is a registered trademark of Albion International, Inc. and is covered by the following patents: U.S. Pat.No. 6,716,814, U.S. Pat.No. 8,007,846 and U.S. Pat.No. 8,425,956.

#### For use on the order of a healthcare practitioner.

**Call your doctor about side effects. To report side effects, call Vertical Pharmaceuticals at 1-877-95-VERTI (1-877-958-3784) or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).**

**Customer Service: 1-866-600-4799**

**Rev. 11/2017**

Distributed by:  
Vertical Pharmaceuticals, LLC  
Bridgewater, NJ 08807



## OB COMPLETE® ONE PRESCRIBING INFORMATION

### Supplement Facts

Serving Size: 1 Softgel Capsule  
Servings Per Container: 30

	Amount per Serving	% DV for Pregnant and Lactating Women
Calories	5	
Vitamin C (as Calcium Ascorbate)	70mg	58%
Vitamin D (as Cholecalciferol)	30 mcg (1,200IU)	200%
Vitamin E (as d-Alpha Tocopherol)	30IU	143%
Thiamin (as Thiamine Mononitrate)	2mg	143%
Riboflavin	4mg	250%
Niacin (as Niacinamide)	10 mg	56%
Vitamin B6 (as Pyridoxine HCl)	30mg	1500%
Folate	1667 mcg DFE (Folic Acid 1000 mcg)	278%
Vitamin B12 (as Cyanocobalamin)	50 mcg	1786%
Biotin	200 mcg	571%
Calcium (as Calcium Carbonate, Dima-Cal Di-Calcium Malate*, and Calcium Threonate)	55mg	4%
Iron (as Ferronyl® Carbonyl Iron 40 mg and Sumalate®** Ferrous AspartoGlycinate 10 mg)	50mg	185%
Iodine (as Potassium Iodide)	150mcg	52%
Magnesium (as Magnesium Oxide)	25 mg	6%
Zinc (as Zinc Oxide)	15mg	115%
Copper (as Cupric Sulfate)	1mg	77%
Purified Fish Oil	476mg	†
DHA (Docosahexaenoic Acid)	300mg	†
EPA (Eicosapentaenoic Acid)	40mg	†
† Daily Value (DV) not established		

**Other Ingredients:** Gelatin, Glycerin, Yellow Bees Wax, Purified Water, Lecithin, Soybean Oil, Natural Cream Orange Flavor, Titanium Dioxide, Ethyl Vanillin, FD&C Red #40, FD&C Blue #1.

**CONTAINS: SOY AND FISH (TUNA)**

**GLUTEN-, LACTOSE- AND SUGAR-FREE**

OB Complete® One is a prescription multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

**CONTRAINDICATIONS**

OB Complete® One should not be used by patients with a known hypersensitivity to any of the listed ingredients.

**WARNINGS**

**WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.**

**PRECAUTIONS**

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

**DRUG INTERACTIONS**

OB Complete® One softgels are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

**ADVERSE REACTIONS**

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

**DESCRIPTION**

OB Complete® One is an oblong-shaped purple softgel, imprinted "VP044".

**DIRECTIONS FOR USE**

One softgel daily or as directed by a physician.

**HOW SUPPLIED**

OB Complete® One is supplied in a carton of 30 capsules, packaged in 3 child resistant unit-dose blister cards of 10 softgels per card.

**Product Code: 68025-044-30**

**STORAGE**

Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

**KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.**

\*DimaCal is a registered trademark of Albion International, Inc. Malates covered by U.S. Patent No. 6,706,904. Chelate covered by U.S. Patent No. 7,838,042 and patents pending.

\*\*Sumalate® (Ferrous AspartoGlycinate) is a registered trademark of Albion International, Inc. and is covered by the following patents: U.S. Pat. No. 6,716,814; U.S. Pat. No. 8,007,846 and U.S. Pat. No. 8,425,956.

**For use on the order of a healthcare practitioner.**

**Call your doctor about side effects. To report side effects, call Vertical Pharmaceuticals at 1-877-95-VERTI (1-877-958-3784) or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).**

**Customer Service: 1-866-600-4799**

**Rev. 11/2017**

**Distributed by:  
Vertical Pharmaceuticals, LLC  
Bridgewater, NJ 08807**



## OB COMPLETE® PREMIER PRESCRIBING INFORMATION

### Supplement Facts

Serving Size: 1 Tablet  
Servings Per Box: 30

	Amount per Serving	% DV for Pregnant and Lactating Women
Vitamin A (as Beta Carotene)	1260 mcg (2100 IU)	97%
Vitamin C (as Calcium Ascorbate)	120mg	100%
Calcium (as DimaCal® di-Calcium Malate)*	100 mg	8%
Vitamin D (as Cholecalciferol)	20 mcg (800IU)	133%
Vitamin E (as d-Alpha Tocopheryl Succinate)	20IU	95%
Thiamin (as Thiamine Mononitrate)	2mg	143%
Riboflavin	3.4mg	213%
Niacin (as Niacinamide)	10 mg	56%
Vitamin B6 (as Pyridoxine HCl)	10mg	500%
Folate	1667 mcg DFE (Folic Acid 1000 mcg)	278%
Vitamin B12 (as Cyanocobalamin)	15 mcg	536%
Iron (as Ferronyl® Carbonyl Iron 30 mg and Sumalate®* Ferrous Asparto Glycinate 20 mg)	50mg	185%
Magnesium (as Di-Magnesium Malate)**	15mg	4%
Zinc (as TRAACS® Zinc Glycinate Chelate)*	10mg	77%
Copper (as Copper Glycinate)	1mg	77%

**Other Ingredients:** Microcrystalline Cellulose, DiCal Phosphate, Croscarmellose Sodium, Pink Color Coating (Hydroxypropylmethyl Cellulose, Polyvinyl Alcohol, Titanium Dioxide, Polyethylene Glycol, Talc and FDC Red #40 Lake), Fumed Silica, Stearic Acid, Magnesium Stearate, Acacia and Povidone K30.

#### VEGETARIAN FRIENDLY

#### GLUTEN-, LACTOSE- AND SUGAR-FREE

OB Complete® Premier is a prescription multivitamin/multimineral indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and non-lactating mothers.

#### CONTRAINDICATIONS

OB Complete® Premier should not be used by patients with a known hypersensitivity to any of the listed ingredients.

#### WARNINGS

**WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.**

#### PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B<sub>12</sub> is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

#### DRUG INTERACTIONS

OB Complete® Premier tablets are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

#### ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained herein. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels, has been associated with gastrointestinal intolerance in some patients.

#### DESCRIPTION

OB Complete® Premier is pink tablet, imprinted "VP043".

#### DIRECTIONS FOR USE

One tablet daily or as directed by a physician.

#### HOW SUPPLIED

OB Complete® Premier is supplied in a carton of 30 tablets, packaged in 3 child resistant unit-dose blister cards of 10 tablets per card.

**Product Code: 68025-043-30**

#### STORAGE

Store at controlled room temperature 15°-30°C (59°-86°F) [See USP]. Protect from light, moisture and excessive heat.

#### KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.

\*Sumalate® (Ferrous Asparto Glycinate) is a registered trademark of Albion International, Inc. and is covered by the following patents: U.S. Pat. No. 6,716,814; U.S. Pat. No. 8,007,846 and U.S. Pat. No. 8,425,956.

\*\*DimaCal and TRAACS are registered trademarks of Albion International, Inc. Malates covered by U.S. Patent No. 6,706,904. Chelate covered by U.S. Patent No. 7,838,042 and patents pending.

#### For use on the order of a healthcare practitioner

Call your doctor about side effects. To report side effects, call Vertical Pharmaceuticals at 1-877-95-VERTI (1-877-958-3784) or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

Customer Service: 1-866-600-4799

Rev. 11/2017

Distributed by:  
Vertical Pharmaceuticals, LLC  
Bridgewater, NJ 08807

